


1/2" X 1/2" SQUARE
ON 3/4" CENTERS

44% Free Area



# Holes / Pattern Repeats		# Holes / Pattern Repeats		# Holes / Pattern Repeats		# Holes / Pattern Repeats	
1	0.500	14	10.250	27	20.000	40	29.750
2	1.250	15	11.000	28	20.750	41	30.500
3	2.000	16	11.750	29	21.500	42	31.250
4	2.750	17	12.500	30	22.250	43	32.000
5	3.500	18	13.250	31	23.000	44	32.750
6	4.250	19	14.000	32	23.750	45	33.500
7	5.000	20	14.750	33	24.500	46	34.250
8	5.750	21	15.500	34	25.250	47	35.000
9	6.500	22	16.250	35	26.000	48	35.750
10	7.250	23	17.000	36	26.750	49	36.500
11	8.000	24	17.750	37	27.500		
12	8.750	25	18.500	38	28.250		
13	9.500	26	19.250	39	29.000		


All dimensions are in inches.

JOB NAME:

SUBMITTED BY:

PRODUCT FEATURES

- Decorative stamped grille for use with HVAC supply, return, and transfer applications.
- Many patterns available to enhance appearance of the space.
- Fabricated to exacting specifications for pattern, size, material, gauge, finish, and installation.
- See "How To Specify / Order" for available materials, finishes and options.



Qty	Order Size (Nom Duct Size)		Face Overall Size (O.D.)		Pattern #	Pattern Size		# of Patterns / Holes	Screw Holes / Location / Size / Qty					Actual Border		Material		Finish	Volume Control Damper
	W	H	W	H		W	H		X	Y	S	Size	# Holes	W	H	Type	Thickness		

Notes: Grilles can be fabricated to most any specification. Here are "typical" specifications:

- Face Overall Size = Order Size + 2-1/2"
- Screw Hole Size: #8
- Actual Border calculated based on Order Size, Face Overall Size, and Pattern selected
- Opposed-blade volume damper can be tack welded directly to face. Some minor blemishes may be visible. Damper operator may be difficult to access (behind a fret).

All dimensions are in inches.

SUBMITTAL SHEET

SAG / 12.00 / 12.00 / P11 / 14 / 2.50 / ST / WH / N1

Model _____
SAG - Stamped Architectural Grille

Nominal Duct Width _____
06.00" to 36.00"

Nominal Duct Height _____
06.00" to 36.00"

Pattern Number _____
(see submittal library for available patterns)

Face Gauge _____

- 7 - (3/16")
- 8 - (8 GA)
- 10 - (10 GA)
- 12 - (12 GA)
- 14 - (14 GA)
- 16 - (16 GA)
- 18 - (18 GA)
- 20 - (20 GA)

Overall Face Size _____

- 2.00** - Order size plus 2"
(Approx. 1" Border)
- 2.50** - Order size plus 2-1/2"
(Approx. 1-1/2" Border)
- 3.50** - Order size plus 3-1/2"
(Approx. 2" Border)

Material _____

- ST** - Steel
- 04** - 304 Stainless Steel
- 16** - 316 Stainless Steel
- AL** - Aluminum
- GZ** - Steel, Galvanized (G90)
- 280** - Muntz Metal
- 220** - Commercial Bronze

Options

- C6** - 1" Collar (20 GA thick)
- N1** - No Screw Holes
- 99** - Special Construction
(Provide Details)

Finish

- WH** - Arctic White
- 4P** - Satin Polish
- ML** - Mill Finish
- WE** - White Epoxy
- SV** - Silver
- LB** - Light Bronze
- MB** - Medium Bronze
- CB** - California Bronze
- FB** - Flat Black
- GB** - Gloss Black
- BG** - Beige
- GP** - Grey Primer
- RP** - Rust Inhibiting Prime Coat
- C1** - Custom Color Match #1
Baked Enamel
- C2** - Custom Color Match #2
Baked Enamel
- C3** - Custom Color Match #3
Baked Enamel

Custom Finishing Available

NOTE: Pattern / Material Type / Material Gauge determine availability.
Contact your Anemostat Representative with specific requirements

All dimensions are in inches.