




Anemostat®

AIR DISTRIBUTION

SUBMITTAL SHEET

www.anemostat-hvac.com



Model **SAG**

STAMPED


ARCHITECTURAL GRILLE

P8

1/4"Ø ON 3/8"

60° STAGGERED CENTERS

40% Free Area



# Holes / Pattern Repeats	W	H	# Holes / Pattern Repeats	W	H	# Holes / Pattern Repeats	W	H	# Holes / Pattern Repeats	W	H
1	0.250	0.250	29	10.750	9.343	57	21.250	18.437	85	31.750	27.530
2	0.625	0.575	30	11.125	9.668	58	21.625	18.761	86	32.125	27.855
3	1.000	0.900	31	11.500	9.993	59	22.000	19.086	87	32.500	28.179
4	1.375	1.224	32	11.875	10.318	60	22.375	19.411	88	32.875	28.504
5	1.750	1.549	33	12.250	10.642	61	22.750	19.736	89	33.250	28.829
6	2.125	1.874	34	12.625	10.967	62	23.125	20.060	90	33.625	29.154
7	2.500	2.199	35	13.000	11.292	63	23.500	20.385	91	34.000	29.478
8	2.875	2.523	36	13.375	11.617	64	23.875	20.710	92	34.375	29.803
9	3.250	2.848	37	13.750	11.941	65	24.250	21.035	93	34.750	30.128
10	3.625	3.173	38	14.125	12.266	66	24.625	21.359	94	35.125	30.453
11	4.000	3.498	39	14.500	12.591	67	25.000	21.684	95	35.500	30.777
12	4.375	3.822	40	14.875	12.916	68	25.375	22.009	96	35.875	31.102
13	4.750	4.147	41	15.250	13.240	69	25.750	22.334	97	36.250	31.427
14	5.125	4.472	42	15.625	13.565	70	26.125	22.658	98	36.625	31.752
15	5.500	4.797	43	16.000	13.890	71	26.500	22.983	99	37.000	32.076
16	5.875	5.121	44	16.375	14.215	72	26.875	23.308	100	37.375	32.401
17	6.250	5.446	45	16.750	14.539	73	27.250	23.633	101	37.750	32.726
18	6.625	5.771	46	17.125	14.864	74	27.625	23.957	102	38.125	33.051
19	7.000	6.096	47	17.500	15.189	75	28.000	24.282	103	38.500	33.375
20	7.375	6.420	48	17.875	15.514	76	28.375	24.607	104	38.875	33.700
21	7.750	6.745	49	18.250	15.838	77	28.750	24.932	105	39.250	34.025
22	8.125	7.070	50	18.625	16.163	78	29.125	25.256	106	39.625	34.350
23	8.500	7.395	51	19.000	16.488	79	29.500	25.581	107	40.000	34.675
24	8.875	7.719	52	19.375	16.813	80	29.875	25.906	108	40.375	34.999
25	9.250	8.044	53	19.750	17.137	81	30.250	26.231	109	40.750	35.324
26	9.625	8.369	54	20.125	17.462	82	30.625	26.556	110	41.125	35.649
27	10.000	8.694	55	20.500	17.787	83	31.000	26.880	111	41.500	35.974
28	10.375	9.019	56	20.875	18.112	84	31.375	27.205	112	41.875	36.298


All dimensions are in inches.

JOB NAME:

SUBMITTED BY:

PRODUCT FEATURES

- Decorative stamped grille for use with HVAC supply, return, and transfer applications.
- Many patterns available to enhance appearance of the space.
- Fabricated to exacting specifications for pattern, size, material, gauge, finish, and installation.
- See "How To Specify / Order" for available materials, finishes and options.



Qty	Order Size (Nom Duct Size)		Face Overall Size (O.D.)		Pattern #	Pattern Size		# of Patterns / Holes	Screw Holes / Location / Size / Qty					Actual Border		Material		Finish	Volume Control Damper	
	W	H	W	H		W	H		X	Y	S	Size	# Holes	W	H	Type	Thickness			

- Notes: Grilles can be fabricated to most any specification. Here are "typical" specifications:
- Face Overall Size = Order Size + 2-1/2"
 - Screw Hole Size: #8
 - Actual Border calculated based on Order Size, Face Overall Size, and Pattern selected
 - Opposed-blade volume damper can be tack welded directly to face. Some minor blemishes may be visible. Damper operator may be difficult to access (behind a fret).

All dimensions are in inches.

SUBMITTAL SHEET

SAG / 12.00 / 12.00 / P11 / 14 / 2.50 / ST / WH / N1

Model _____
SAG - Stamped Architectural Grille

Nominal Duct Width _____
06.00" to 36.00"

Nominal Duct Height _____
06.00" to 36.00"

Pattern Number _____
(see submittal library for available patterns)

Face Gauge _____
7 - (3/16")

- 8 - (8 GA)
- 10 - (10 GA)
- 12 - (12 GA)
- 14 - (14 GA)
- 16 - (16 GA)
- 18 - (18 GA)
- 20 - (20 GA)

- Overall Face Size** _____
- 2.00 - Order size plus 2"
(Approx. 1" Border)
 - 2.50 - Order size plus 2-1/2"
(Approx. 1-1/2" Border)
 - 3.50 - Order size plus 3-1/2"
(Approx. 2" Border)

- Material** _____
- ST - Steel
 - 04 - 304 Stainless Steel
 - 16 - 316 Stainless Steel
 - AL - Aluminum
 - GZ - Steel, Galvanized (G90)
 - 280 - Muntz Metal
 - 220 - Commercial Bronze

- Options**
- C6 - 1" Collar (20 GA thick)
 - N1 - No Screw Holes
 - 99 - Special Construction
(Provide Details)

- Finish**
- WH - Arctic White
 - 4P - Satin Polish
 - ML - Mill Finish
 - WE - White Epoxy
 - SV - Silver
 - LB - Light Bronze
 - MB - Medium Bronze
 - CB - California Bronze
 - FB - Flat Black
 - GB - Gloss Black
 - BG - Beige
 - GP - Grey Primer
 - RP - Rust Inhibiting Prime Coat
 - C1 - Custom Color Match #1
Baked Enamel
 - C2 - Custom Color Match #2
Baked Enamel
 - C3 - Custom Color Match #3
Baked Enamel

Custom Finishing Available

NOTE: Pattern / Material Type / Material Gauge determine availability.
Contact your Anemostat Representative with specific requirements

All dimensions are in inches.