


42% Free Area



# Holes / Pattern Repeats	W	H	# Holes / Pattern Repeats	W	H	# Holes / Pattern Repeats	W	H	# Holes / Pattern Repeats	W	H
1	1.000	0.188	26	30.688	9.563	51	60.375	18.938	76	90.063	28.313
2	2.188	0.563	27	31.875	9.938	52	61.563	19.313	77	91.250	28.688
3	3.375	0.938	28	33.063	10.313	53	62.750	19.688	78	92.438	29.063
4	4.563	1.313	29	34.250	10.688	54	63.938	20.063	79	93.625	29.438
5	5.750	1.688	30	35.438	11.063	55	65.125	20.438	80	94.813	29.813
6	6.938	2.063	31	36.625	11.438	56	66.313	20.813	81	96.000	30.188
7	8.125	2.438	32	37.813	11.813	57	67.500	21.188	82	97.188	30.563
8	9.313	2.813	33	39.000	12.188	58	68.688	21.563	83	98.375	30.938
9	10.500	3.188	34	40.188	12.563	59	69.875	21.938	84	99.563	31.313
10	11.688	3.563	35	41.375	12.938	60	71.063	22.313	85	100.750	31.688
11	12.875	3.938	36	42.563	13.313	61	72.250	22.688	86	101.938	32.063
12	14.063	4.313	37	43.750	13.688	62	73.438	23.063	87	103.125	32.438
13	15.250	4.688	38	44.938	14.063	63	74.625	23.438	88	104.313	32.813
14	16.438	5.063	39	46.125	14.438	64	75.813	23.813	89	105.500	33.188
15	17.625	5.438	40	47.313	14.813	65	77.000	24.188	90	106.688	33.563
16	18.813	5.813	41	48.500	15.188	66	78.188	24.563	91	107.875	33.938
17	20.000	6.188	42	49.688	15.563	67	79.375	24.938	92	109.063	34.313
18	21.188	6.563	43	50.875	15.938	68	80.563	25.313	93	110.250	34.688
19	22.375	6.938	44	52.063	16.313	69	81.750	25.688	94	111.438	35.063
20	23.563	7.313	45	53.250	16.688	70	82.938	26.063	95	112.625	35.438
21	24.750	7.688	46	54.438	17.063	71	84.125	26.438	96	113.813	35.813
22	25.938	8.063	47	55.625	17.438	72	85.313	26.813	97	115.000	36.188
23	27.125	8.438	48	56.813	17.813	73	86.500	27.188			
24	28.313	8.813	49	58.000	18.188	74	87.688	27.563			
25	29.500	9.188	50	59.188	18.563	75	88.875	27.938			


All dimensions are in inches.

JOB NAME:

SUBMITTED BY:

PRODUCT FEATURES

- Decorative stamped grille for use with HVAC supply, return, and transfer applications.
- Many patterns available to enhance appearance of the space.
- Fabricated to exacting specifications for pattern, size, material, gauge, finish, and installation.
- See "How To Specify / Order" for available materials, finishes and options.



Qty	Order Size (Nom Duct Size)		Face Overall Size (O.D.)		Pattern #	Pattern Size		# of Patterns / Holes	Screw Holes / Location / Size / Qty					Actual Border		Material		Finish	Volume Control Damper	
	W	H	W	H		W	H		X	Y	S	Size	# Holes	W	H	Type	Thickness			

- Notes: Grilles can be fabricated to most any specification. Here are "typical" specifications:
- Face Overall Size = Order Size + 2-1/2"
 - Screw Hole Size: #8
 - Actual Border calculated based on Order Size, Face Overall Size, and Pattern selected
 - Opposed-blade volume damper can be tack welded directly to face. Some minor blemishes may be visible. Damper operator may be difficult to access (behind a fret).

All dimensions are in inches.

SUBMITTAL SHEET

SAG / 12.00 / 12.00 / P11 / 14 / 2.50 / ST / WH / N1

Model _____
SAG - Stamped Architectural Grille

Nominal Duct Width _____
06.00" to 36.00"

Nominal Duct Height _____
06.00" to 36.00"

Pattern Number _____
(see submittal library for available patterns)

Face Gauge _____

- 7 - (3/16")
- 8 - (8 GA)
- 10 - (10 GA)
- 12 - (12 GA)
- 14 - (14 GA)
- 16 - (16 GA)
- 18 - (18 GA)
- 20 - (20 GA)

Overall Face Size _____

- 2.00** - Order size plus 2"
(Approx. 1" Border)
- 2.50** - Order size plus 2-1/2"
(Approx. 1-1/2" Border)
- 3.50** - Order size plus 3-1/2"
(Approx. 2" Border)

Material _____

- ST** - Steel
- 04** - 304 Stainless Steel
- 16** - 316 Stainless Steel
- AL** - Aluminum
- GZ** - Steel, Galvanized (G90)
- 280** - Muntz Metal
- 220** - Commercial Bronze

Options

- C6** - 1" Collar (20 GA thick)
- N1** - No Screw Holes
- 99** - Special Construction
(Provide Details)

Finish

- WH** - Arctic White
- 4P** - Satin Polish
- ML** - Mill Finish
- WE** - White Epoxy
- SV** - Silver
- LB** - Light Bronze
- MB** - Medium Bronze
- CB** - California Bronze
- FB** - Flat Black
- GB** - Gloss Black
- BG** - Beige
- GP** - Grey Primer
- RP** - Rust Inhibiting Prime Coat
- C1** - Custom Color Match #1
Baked Enamel
- C2** - Custom Color Match #2
Baked Enamel
- C3** - Custom Color Match #3
Baked Enamel

Custom Finishing Available

NOTE: Pattern / Material Type / Material Gauge determine availability.
Contact your Anemostat Representative with specific requirements

All dimensions are in inches.