


3/4" X 3/4" SQUARE  
ON 1" CENTERS

56% Free Area



# Holes / Pattern Repeats		# Holes / Pattern Repeats		# Holes / Pattern Repeats		# Holes / Pattern Repeats	
1	0.750	11	10.750	21	20.750	31	30.750
2	1.750	12	11.750	22	21.750	32	31.750
3	2.750	13	12.750	23	22.750	33	32.750
4	3.750	14	13.750	24	23.750	34	33.750
5	4.750	15	14.750	25	24.750	35	34.750
6	5.750	16	15.750	26	25.750	36	35.750
7	6.750	17	16.750	27	26.750	37	36.750
8	7.750	18	17.750	28	27.750		
9	8.750	19	18.750	29	28.750		
10	9.750	20	19.750	30	29.750		


All dimensions are in inches.

JOB NAME:

SUBMITTED BY:

### PRODUCT FEATURES

- Decorative stamped grille for use with HVAC supply, return, and transfer applications.
- Many patterns available to enhance appearance of the space.
- Fabricated to exacting specifications for pattern, size, material, gauge, finish, and installation.
- See "How To Specify / Order" for available materials, finishes and options.



Qty	Order Size (Nom Duct Size)		Face Overall Size (O.D.)		Pattern #	Pattern Size		# of Patterns / Holes	Screw Holes / Location / Size / Qty					Actual Border		Material		Finish	Volume Control Damper	
	W	H	W	H		W	H		X	Y	S	Size	# Holes	W	H	Type	Thickness			

Notes: Grilles can be fabricated to most any specification. Here are "typical" specifications:

- Face Overall Size = Order Size + 2-1/2"
- Screw Hole Size: #8
- Actual Border calculated based on Order Size, Face Overall Size, and Pattern selected
- Opposed-blade volume damper can be tack welded directly to face. Some minor blemishes may be visible. Damper operator may be difficult to access (behind a fret).

All dimensions are in inches.

# SUBMITTAL SHEET

**SAG / 12.00 / 12.00 / P11 / 14 / 2.50 / ST / WH / N1**

**Model** \_\_\_\_\_  
**SAG** - Stamped Architectural Grille

**Nominal Duct Width** \_\_\_\_\_  
06.00" to 36.00"

**Nominal Duct Height** \_\_\_\_\_  
06.00" to 36.00"

**Pattern Number** \_\_\_\_\_  
(see submittal library for available patterns)

**Face Gauge** \_\_\_\_\_

- 7 - (3/16")
- 8 - (8 GA)
- 10 - (10 GA)
- 12 - (12 GA)
- 14 - (14 GA)
- 16 - (16 GA)
- 18 - (18 GA)
- 20 - (20 GA)

**Overall Face Size** \_\_\_\_\_

- 2.00** - Order size plus 2"  
(Approx. 1" Border)
- 2.50** - Order size plus 2-1/2"  
(Approx. 1-1/2" Border)
- 3.50** - Order size plus 3-1/2"  
(Approx. 2" Border)

**Material** \_\_\_\_\_

- ST** - Steel
- 04** - 304 Stainless Steel
- 16** - 316 Stainless Steel
- AL** - Aluminum
- GZ** - Steel, Galvanized (G90)
- 280** - Muntz Metal
- 220** - Commercial Bronze

**Options**

- C6** - 1" Collar (20 GA thick)
- N1** - No Screw Holes
- 99** - Special Construction  
(Provide Details)

**Finish**

- WH** - Arctic White
- 4P** - Satin Polish
- ML** - Mill Finish
- WE** - White Epoxy
- SV** - Silver
- LB** - Light Bronze
- MB** - Medium Bronze
- CB** - California Bronze
- FB** - Flat Black
- GB** - Gloss Black
- BG** - Beige
- GP** - Grey Primer
- RP** - Rust Inhibiting Prime Coat
- C1** - Custom Color Match #1  
Baked Enamel
- C2** - Custom Color Match #2  
Baked Enamel
- C3** - Custom Color Match #3  
Baked Enamel

**Custom Finishing Available**

**NOTE:** Pattern / Material Type / Material Gauge determine availability.  
Contact your Anemostat Representative with specific requirements

All dimensions are in inches.